


## DOMUS & ALDUS

THE WINDOW CONCEPT WITH A STUNNINGLY MODERN APPEARANCE



## MODERN DESIGN

DOMUS & ALDUS





# ALDUS & DOMUS PRODUCT DETAILS




Option of glazing bar



Architectural designed



Option of trickle vent



Fully adjustable ironmongery

# TIMBER & TIMBER/ALUMINIUM





## Rationel DOMUS

DOMUS energy-efficient windows and doors are designed to reduce energy consumption thanks to their design and construction. Available with various options and opening/closing features, they are easy to join together and therefore suited to complex window solutions such as sun lounges, conservatories, bays, etc


## Rationel ALDUS

ALDUS windows and doors are suited to both new-build and refurbishment projects where a modern façade is required. Their energy efficient design can reduce energy consumption in the home and their external aluminium cladding makes ALDUS virtually maintenance-free.

This range offers slightly improved energy efficiency over DOMUS.


Rationel AURA & Rationel AURAPLUS come with security hardware as standard to meet SBD requirements. The vast majority of timber originates from FSC-certified forests. Read more at www.rationel.co.uk

## OPENING TYPES




### TOP GUIDED

Top Guided windows are a simple, elegant and user-friendly design. Opening is controlled by tracks and slides. When opening the window the top of the sash slides downwards as the bottom of the sash opens outwards. Adjustable friction ironmongery allows an almost infinite choice of open positions.




### FIXED LIGHT

Fixed Light windows are ideal wherever maximum internal light and solar heat gain is required. Fixed Lights can be fitted with trickle vents for ventilation.




### TOP SWING

In everyday operation the fully reversible window functions as a Top Guided window. However it is possible to turn the sash through 180 degrees to clean the glass from the inside.



### SIDE HUNG


Side Hung windows are controlled with tracks and slides. On windows over 478mm wide and 588mm high, the handle controlled friction brake allows the window to be fixed in any open position.



### SIDE GUIDED

Side Guided windows are controlled by tracks and slides that allow the window to be fixed in any open position. However, when opened, the hinge side of the sash moves toward the middle to create an opening that allows the glass to be cleaned from the inside.

Windows over 743mm wide and 588mm high are fitted with an adjustable friction brake controlled by the handle.



## LOUVRED PANEL

This unit is based on a Side Light where the glass has been replaced with horizontal louvres externally and an insect screen internally.

Internally two insulated doors, one above the other, can be opened in order to control ventilation. Both doors have a friction brake to hold the doors open in any position.

## COLOURS

## STANDARD RAL COLOURS

The colours shown cannot be reproduced exactly.



When choosing windows and doors from Rationel, it is possible to enhance the appearance and character of your house through your choice of colour. Our standard colours suit the majority of architectural styles and traditions in the United Kingdom. We also offer a special range of colours, which you can use to highlight particular features of your home.

#### STANDARD RAL COLOURS

Rationel DOMUS & ALDUS windows and doors are available in one standard colour on both the inside and outside of the frame. It is also possible to have a split colour solution, where you are able to have a different colour on the outside to what you choose for the inside. Additional charges apply for split colours on the DOMUS range.

## GRANITE COLOURS (ALDUS ONLY)

The colours shown cannot be reproduced exactly.





# TECHNICAL INFORMATION

- Minimum/maximum sizes
- Durability tests

- Sectional details

## MINIMUM/MAXIMUM SIZES

OPENING FUNCTION		MINIMUM WIDTH	MINIMUM HEIGHT	MAXIMUM WIDTH	MAXIMUM HEIGHT	MAXIMUM WIDTH + HEIGHT
	TOP GUIDED	353 mm	538 mm	1608 mm	1588 mm	2876 mm
	SIDE HUNG	388 mm	353 mm	948 mm	1788 mm	2676 mm
	SIDE GUIDED	408 mm	353 mm	1188 mm	1788 mm	2676 mm
	TOP SWING	353 mm	488 mm	1608 mm	1588 mm	2876 mm
	FIXED LIGHT	228 mm	258 mm	3800 mm	3800 mm	4776 mm

## DURABILITY TESTS

A series of test videos are available to view on the website



AIR PERMEABILITY
600PA



WIND RESISTANCE 1600PA



OPERATION 10.000 CYCLES




WATER TIGHTNESS 600PA

## SECTIONAL DETAILS

## DOMUS

Download full set of drawings at www.rationel.co.uk




#### BEST PERFORMANCE



## ALDUS

Download full set of drawings at www.rationel.co.uk



### BEST PERFORMANCE





Good, solid, quality workmanship has characterised Rationel's windows and doors since the first products were shipped from our factory in Sdr. Felding in 1954. Based on this sound foundation, Rationel is today an international company with sales offices in Great Britain, Ireland and Denmark.

Rationel manufactures energy saving windows and doors of premium quality in terms of both comfort and security. Our continuous programme of research and development ensures that the company always meets current statutory requirements as well as market requirements for design and functionality.

Rationel is part of the DOVISTA Group, which consists of ten leading door and window companies in Europe. DOVISTA A/S is owned by VKR Holding and employs approximately 13,500 people in more than 40 countries.

www.rationel.co.uk









